

	Hits	Search Text
<b>1</b>	48	"5661632".URPN.
<b>2</b>	1	"6144358".pn.
<b>3</b>	0	"6297945".URPN.
<b>4</b>	1	("0000348").PN.
<b>5</b>	0	("1anddisplay").PN.
<b>6</b>	0	("1andLCD").PN.
<b>7</b>	0	("1androtat\$3").PN.
<b>8</b>	232	("396.373").PN. or (358/909.1).CCLS.
<b>9</b>	4	("5508720"   "5646649"   "5673170"   "6134103").PN.
<b>10</b>	232	((("396.373").PN. or (358/909.1).CCLS.)
<b>11</b>	6	(((((345/1.3,168-172) or (341/20-23)).CCLS.) and button\$3) and (rotat\$5 adj button\$3)
<b>12</b>	256	(((((345/1.3,168-172) or (341/20-23)).CCLS.) and button\$3) and rotati\$3
<b>13</b>	5	(((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display))) not (((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display)))
<b>14</b>	55	(((((396/373) or (19/26)).CCLS.) and rota\$4 ) and button\$3
<b>15</b>	34	(((((396/373) or (19/26)).CCLS.) and rota\$4 ) and displa\$2
<b>16</b>	67	((((345/1.1, "716", "717", "718", "4") or (348/118) or (296/21)).CCLS.) and ((first adj display) and (second adj display))

	<b>DBs</b>
<b>1</b>	USPAT
<b>2</b>	USPAT
<b>3</b>	USPAT
<b>4</b>	US-PGPUB; USPAT; USOCR
<b>5</b>	US-PGPUB; USPAT; USOCR
<b>6</b>	US-PGPUB; USPAT; USOCR
<b>7</b>	US-PGPUB; USPAT; USOCR
<b>8</b>	US-PGPUB; USPAT; USOCR
<b>9</b>	USPAT
<b>10</b>	US-PGPUB; USPAT
<b>11</b>	US-PGPUB; USPAT
<b>12</b>	US-PGPUB; USPAT
<b>13</b>	US-PGPUB; USPAT; JPO
<b>14</b>	US-PGPUB; USPAT
<b>15</b>	US-PGPUB; USPAT
<b>16</b>	US-PGPUB; USPAT

	Hits	Search Text
17	5	((((345/1.1, "716", "717", "718", "4") or (348/118) or (296/21)).CCLS.) and ((first adj panel) and (second adj panel))
18	2	((((345/1.1, "716", "717", "718", "4") or (348/118) or (296/21)).CCLS.) and (automobi\$4 adj display)
19	88	((((345/1.3,168-172) or (341/20-23)).CCLS.) and (functi\$3 adj indicat\$4)
20	6	((((345/1.3,168-172) or (341/20-23)).CCLS.) and (rotat\$5 adj button\$3)
21	928	((((345/1.3,168-172) or (341/20-23)).CCLS.) and button\$3
22	153	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display))
23	154	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display))
24	159	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display))
25	1	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display))
26	3	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display))

	<b>DBs</b>
<b>17</b>	US-PGPUB; USPAT
<b>18</b>	US-PGPUB; USPAT
<b>19</b>	US-PGPUB; USPAT
<b>20</b>	US-PGPUB; USPAT
<b>21</b>	US-PGPUB; USPAT
<b>22</b>	US-PGPUB; USPAT
<b>23</b>	US-PGPUB; USPAT
<b>24</b>	US-PGPUB; USPAT; JPO
<b>25</b>	EPO; DERWENT; IBM_TDB
<b>26</b>	USOCR

	Hits	Search Text
27	0	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display)) and (automib\$4 or vehick\$3)
28	16	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj display) and (second adj display)) and (automob\$4 or vehick\$3)
29	11	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and ((first adj panel) and (second adj panel))
30	12	((((345/3, "5", "76", "7", "9", "36", "45", "76", "87", "3.1" ) or (353/13,14) or (340/815.55, "980", "705", "716", 52F, "961", "757", "758", "760", "753") or (362/29, "71", "72") or (350/172, "174") or (359/885, "888", "614")).CCLS.) and (automobi\$4 adj display)
31	112	((((396/373) or (19/26)).CCLS.) and rota\$4
32	209	((((display adj panel))) and (chang\$3 with ((indica\$5 legend sign name) near5 switch))
33	0	((((display adj panel))) same (chang\$3 adj ((indica\$5 legend sign name) near5 switch))
34	13	((((display adj panel))) same (chang\$3 near3 ((indica\$5 legend sign name) near5 switch))
35	0	((((display adj panel))) with (chang\$3 adj ((indica\$5 legend sign name) near5 switch))
36	12	((((display adj panel))) with (chang\$3 with ((indica\$5 legend sign name) near5 switch))
37	203	((((first adj display) and (second adj display)) and (automob\$4 or vehick\$3)) and ((first adj display) and (second adj display)) and (automob\$4 or vehick\$3)

	<b>DBs</b>
<b>27</b>	US-PGPUB; USPAT
<b>28</b>	US-PGPUB; USPAT
<b>29</b>	US-PGPUB; USPAT
<b>30</b>	US-PGPUB; USPAT
<b>31</b>	US-PGPUB; USPAT
<b>32</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>33</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>34</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>35</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>36</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>37</b>	US-PGPUB; USPAT

	Hits	Search Text
38	1	((((first adj display) and (second adj display)) and (chang\$3 with ((indica\$5 legend sign name label) near5 switch))) not (((first adj display) and (second adj display)) and (chang\$3 with ((indica\$5 legend sign name) near5 switch)))
39	2	((((first near3 (display panel)) adj3 mount\$5 adj2 (automob\$4 vehic\$6)) and (second adj display))
40	14	((((first near5 (display panel)) adj3 surface adj3 (automob\$4 vehic\$6)))
41	121	((((first near5 (display panel)) near3 surface near3 (automob\$4 vehic\$6)))
42	9	((((first with (display panel)) near3 mount\$5 near3 (automob\$4 vehic\$6)) and (second adj (panel display)))
43	73	((((first with (display panel)) near3 mount\$5 near3 (automob\$4 vehic\$6)))
44	0	((340/988,995).CCLS.) and (chang\$3 near5 function near5 indication)
45	48	((340/988,995).CCLS.) and (chang\$3 near5 function)
46	1	((340/988,995).CCLS.) and (chang\$3 near5 indication near5 switch)
47	41	((340/988,995).CCLS.) and (chang\$3 near5 indication)
48	700	((345/1.1,716,717,718,4) or (348/118) or (296/21)).CCLS.
49	2595	((345/1.3,168-172) or (341/20-23)).CCLS.
50	3930	((345/3,5,76,7,9,36,45,76,87,3.1) or (353/13,14) or (340/815.55,980,705,716,52F,961,757,758,760,753) or (362/29,71,72) or (350/172,174) or (359/885,888,614)).CCLS.
51	4180	((345/3,5,76,7,9,36,45,76,87,3.1) or (353/13,14) or (340/815.55,980,705,716,52F,961,757,758,760,753) or (362/29,71,72) or (350/172,174) or (359/885,888,614)).CCLS.
52	29	((348/333.06).CCLS.)
53	14	((348/333.06).CCLS.) and viewfinde\$3

	<b>DBs</b>
<b>38</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>39</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>40</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>41</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>42</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>43</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>44</b>	US-PGPUB; USPAT
<b>45</b>	US-PGPUB; USPAT
<b>46</b>	US-PGPUB; USPAT
<b>47</b>	US-PGPUB; USPAT
<b>48</b>	US-PGPUB; USPAT; USOCR
<b>49</b>	US-PGPUB; USPAT; USOCR
<b>50</b>	US-PGPUB; USPAT; USOCR
<b>51</b>	US-PGPUB; USPAT; USOCR
<b>52</b>	US-PGPUB; USPAT
<b>53</b>	US-PGPUB; USPAT



	Hits	Search Text
54	185	((361/680,681,686).CCLS.) and (switch\$3 near5 (function indic\$5 desg\$5 name))
55	201	((361/680,681,686).CCLS.) and (two near3 displ\$3)
56	424	((396/373) or (19/26)).CCLS.
57	324	((audio adj3 source) and (LCD near5 display))
58	83	((audio adj3 source) and (LCD near5 display)) and vehicle
59	1	((audio adj3 source) same (LCD near5 display)) same vehicle
60	8	((audio adj3 source) with (LCD near5 display))
61	5	((audio adj3 source) with (LCD near5 display))
62	0	((first adj display) and (second adj display)) and (automib\$4 or vehick\$3)
63	203	((first adj display) and (second adj display)) and (automob\$4 or vehick\$3)
64	6	((first adj display) and (second adj display)) and (automob\$4 or vehick\$3)
65	1062	((first adj display) and (second adj display)) and (automob\$4 vehic\$6)
66	73	((first adj display) and (second adj display)) and (chang\$3 with ((indica\$5 legend sign name label) near5 switch))
67	72	((first adj display) and (second adj display)) and (chang\$3 with ((indica\$5 legend sign name) near5 switch))
68	14	((first adj display) and (second adj display)) and (chang\$3 with ((indication) near5 switch))
69	1	((first adj display) and (second adj display)) same (chang\$3 with ((indica\$5 legend sign name) near5 switch))
70	0	((first adj display) and (second adj display)) same (chang\$3 with ((indication) near5 switch))
71	0	((first adj display) and (second adj display)) with (chang\$3 with ((indica\$5 legend sign name) near5 switch))
72	0	((first adj display) and (second adj display)) with (chang\$3 with ((indication) near5 switch))

	<b>DBs</b>
<b>54</b>	US-PGPUB; USPAT
<b>55</b>	US-PGPUB; USPAT
<b>56</b>	US-PGPUB; USPAT; USOCR
<b>57</b>	USPAT
<b>58</b>	USPAT
<b>59</b>	USPAT
<b>60</b>	US-PGPUB; USPAT
<b>61</b>	USPAT
<b>62</b>	US-PGPUB; USPAT
<b>63</b>	US-PGPUB; USPAT
<b>64</b>	EPO; JPO; DERWENT; IBM_TDB
<b>65</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>66</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>67</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>68</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>69</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>70</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>71</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>72</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Hits	Search Text
73	0	((first near display) and (second near display)) and (automib\$4 or vehick\$3)
74	2	((open close rotate) near (display adj panel)) and ((switch change) same (sigh indicia legend name))
75	0	((open close rotate) near (display adj panel)) same ((switch change) same (sigh indicia legend name))
76	0	((open close rotate) near (display adj panel)) same (switch near3 (sigh indicia legend))
77	0	((open close rotate) near (display adj panel)) same (switch with (sigh indicia legend name))
78	0	((open close rotate) near (display adj panel)) same (switch with (sigh indicia legend))
79	21	((open close rotate) near (display adj panel)) with switch
80	2	((open close rotate) near5 (display adj panel)) same ((switch change) same (sigh indicia legend name))
81	2	((open close rotate) near5 (display adj3 panel)) same ((switch change) same (sigh indicia legend name))
82	7	((open close rotate) with (display adj3 panel)) same ((switch change) same (sigh indicia legend name))
83	3	((open closed rotat\$4) adj ((display panel))) same (chang\$3 with ((indica\$5 legend sign name) near5 switch))
84	1	((open closed rotat\$4) adj ((display panel))) with (chang\$3 with ((indica\$5 legend sign name) near5 switch))
85	12	((open closed rotat\$4) near3 ((display panel))) with (chang\$3 with ((indica\$5 legend sign name) near5 switch))
86	12	((open closed rotat\$4) near3 ((display panel))) with (chang\$3 with ((indica\$5 legend sign name) near5 switch))
87	2	((open closed rotat\$4) near3 (second adj (display panel))) and (chang\$3 with ((indica\$5 legend sign name) near5 switch))
88	10	((open closed) near3 (display adj panel)) near switch

	<b>DBs</b>
<b>73</b>	US-PGPUB; USPAT
<b>74</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>75</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>76</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>77</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>78</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>79</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>80</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>81</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>82</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>83</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>84</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>85</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>86</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>87</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>88</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Hits	Search Text
<b>89</b>	41	((open closed) near3 (display adj panel)) near4 switch
<b>90</b>	94	((open closed) near3 (display adj panel)) with switch
<b>91</b>	111	((second adj (display panel))) and (chang\$3 with ((indica\$5 legend sign name) near5 switch))
<b>92</b>	1030	(340/988,995).CCLS.
<b>93</b>	29	(348/333.06).CCLS.
<b>94</b>	0	(348/333.06).PN.
<b>95</b>	2273	(361/680,681,686).CCLS.
<b>96</b>	246	(display LCD) and (chang\$3 with ((indication) near5 switch))
<b>97</b>	100	(display LCD) with (chang\$3 with ((indication) near5 switch))
<b>98</b>	3424	(first adj (display screen)) near10 (second adj (display screen))
<b>99</b>	57	(first near3 (display panel)) with (second near3 (display panel)) with ((open closed) near10 axis)
<b>100</b>	9	(first near3 (display panel)) with (second near3 (display panel)) with ((open closed) near10 axis)
<b>101</b>	63	(first near3 (display panel)) with (second near3 (display panel)) with ((open closed) near10 axis)
<b>102</b>	3	(first near3 (display screen)) and ((second near3 (display screen)) with rotat\$4) and (switch\$4 with (input near3 source))
<b>103</b>	0	(first near3 (display screen)) with ((second near3 (display screen)) with rotat\$4) and (switch\$4 with (input near3 source))
<b>104</b>	598	(first near3 (display screen)) with (second near3 (display screen) with rotat\$4)
<b>105</b>	15766	(first near3 (display screen)) with (second near3 (display screen))
<b>106</b>	6	(first near3 (display screen)) with (second near3 (display screen)) and (rotat\$4 near10 second) and (switch\$4 with (input near3 source))

	<b>DBs</b>
<b>89</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>90</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>91</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>92</b>	US-PGPUB; USPAT; USOCR
<b>93</b>	US-PGPUB; USPAT; USOCR
<b>94</b>	US-PGPUB; USPAT
<b>95</b>	US-PGPUB; USPAT; USOCR
<b>96</b>	US-PGPUB; USPAT
<b>97</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>98</b>	USPAT
<b>99</b>	USPAT
<b>100</b>	EPO; JPO; DERWENT; IBM_TDB
<b>101</b>	US-PGPUB; USPAT
<b>102</b>	USPAT
<b>103</b>	USPAT
<b>104</b>	USPAT
<b>105</b>	USPAT
<b>106</b>	USPAT

	Hits	Search Text
<b>107</b>	123	(first near3 (display screen)) with (second near3 (display screen)) and (switch\$4 with (input near3 source))
<b>108</b>	5800	(first near3 (display screen)) with (second near3 (display screen)) and rotat\$4
<b>109</b>	19	(first near3 (display screen)) with (second near3 (display screen)) and rotat\$4 and (switch\$4 near7 (input near3 source))
<b>110</b>	13	(first near3 (display screen)) with (second near3 (display screen)) with ((open closed) near10 axis)
<b>111</b>	0	(first near3 (display screen)) with (second near3 (display screen)) with ((open closed) near10 axis)
<b>112</b>	13	(first near3 (display screen)) with (second near3 (display screen)) with ((open closed) near10 axis)
<b>113</b>	2	(first near3 (display screen)) with (second near3 (display screen)) with ((open closed) with axis)
<b>114</b>	102	(first near3 (display screen)) with (second near3 (display screen)) with ((open closed))
<b>115</b>	4	(first near3 (display screen)) with (second near3 (display screen)) with (chang\$4 with (function near3 indicat\$4))
<b>116</b>	56	(first near3 (display screen)) with (second near3 (display screen)) with (chang\$4 with (function))
<b>117</b>	8	(first near3 (display screen)) with (second near3 (display screen)) with (switch\$4 with (input near3 source))
<b>118</b>	10	(first near3 (display)) same (second near3 (display)) same ((open closed) with axis)
<b>119</b>	0	(first near3 (display)) with (second near3 (display)) with ((open closed) near10 axis)
<b>120</b>	4	(first near3 (display)) with (second near3 (display)) with ((open closed) near10 axis)
<b>121</b>	2	(first near6 (display)) same (second near6 (display)) same ((open closed) with axis)
<b>122</b>	26	(first near6 (display)) same (second near6 (display)) same ((open closed) with axis)
<b>123</b>	35	(open near3 (display adj panel)) with switch
<b>124</b>	136	19/26
<b>125</b>	0	348/333.06.PN.

	<b>DBs</b>
<b>107</b>	USPAT
<b>108</b>	USPAT
<b>109</b>	USPAT
<b>110</b>	US-PGPUB; USPAT
<b>111</b>	EPO; JPO; DERWENT; IBM_TDB
<b>112</b>	USPAT
<b>113</b>	EPO; JPO; DERWENT; IBM_TDB
<b>114</b>	EPO; JPO; DERWENT; IBM_TDB
<b>115</b>	USPAT
<b>116</b>	USPAT
<b>117</b>	USPAT
<b>118</b>	US-PGPUB; USPAT
<b>119</b>	EPO; JPO; DERWENT; IBM_TDB
<b>120</b>	US-PGPUB; USPAT
<b>121</b>	EPO; JPO; DERWENT; IBM_TDB
<b>122</b>	US-PGPUB; USPAT
<b>123</b>	US-PGPUB; USPAT; EPO; JPO; DERWENT
<b>124</b>	US-PGPUB; USPAT
<b>125</b>	US-PGPUB; USPAT



	Hits	Search Text
<b>126</b>	544	396/373
<b>127</b>	379	chang\$3 near5 indication near5 switch
<b>128</b>	0	chang\$3 near5 indication near5 switch and ((audio adj3 source) with display)
<b>129</b>	10	chang\$3 with ((function adj5 indication) near5 (button switch))
<b>130</b>	7	chang\$3 with ((function adj5 indication) near5 switch)

	<b>DBs</b>
<b>126</b>	US-PGPUB; USPAT
<b>127</b>	US-PGPUB; USPAT
<b>128</b>	US-PGPUB; USPAT
<b>129</b>	US-PGPUB; USPAT
<b>130</b>	US-PGPUB; USPAT